

DUCATI 848

(2008)

www.akrapovic.net

SLIP-ON & SLIP-ON STREET LEGAL EXHAUST SYSTEM

The Akrapovic SLIP-ON OPEN exhaust system for the new Ducati 848 is an invincible combination of performance and price. In addition to performance, the twin titanium or carbon fiber mufflers add a clean racing look. And the Ducati will put out a much more powerful racing sound. You will also save 2.7 kg compared to the stock Ducati exhaust system. The SLIP-ON street legal system is homologated and ready for road use.

PERFORMANCE

Measurements of the Akrapovic SLIP–ON OPEN system on the DUCATI 848 without muffler insert:

Power & Torque: the Akrapovic SLIP-ON OPEN system greatly increases the potential of the twin cylinder engine. Both power and torque are increased over the entire rpm range, with the greatest increase shown in the low and top of the range. We measured 126.5 hp at 10500 rpm, while the max. increased power of 5 hp was measured at 4900 rpm.

CONFIGURATION

The Akrapovic SLIP-ON OPEN system for the Ducati 848 has a specific 2-2 configuration. The titanium link pipes are welded to the muffler. The header tubes and link pipes are attached with a sleeve joint, secured with a silicon-shielded spring. The muffler is available with a titanium or carbon fiber outer sleeve. The metal interior parts of both mufflers are made entirely of titanium. The outlet cap is made from carbon fiber in both cases. The mufflers are attached to the motorcycle with pair of carbon fiber clamps.

	PERFORMANCE			
	stock	AKRAPOVIC	max. increased power	
max. rear wheel power HP / rpm (measured on Dynojet ATV)	124.4/10500	126.5/10500	5/4900	

	CONFIGURATION			
	header tubes	collector	link pipe	
material	-	-	TITANIUM	
tube shape	-	-	CYLINDRICAL	

interference crossover tubes	-		lambda sensor	NO	
header tube inner sleeves		-	header tube flanges	-	
header tubes - collector connection	-		collector / header tube - link pipe connection	SLEEVE JOINT + SILICON SHIELDED SPRINGS	
link pipe - muffler connection	WELDED		muffler inlet cap /outlet cap		
muffler metal interior	TITANIUM		muffler outer sleeve	Ti – Carbfiber	
muffler clamp	CARBON-FIBER		muffler bracket	-	
muffler insert	EU	YES	heat shield	-	
	US	-	catalytic converter	-	

	ADDITIONAL DATA					
weight comparison (kg)	stock	AKRAPOVIC		difference		
	5.75	S.S. link pipe	TITA link	VIUM pipe	stock - S.S.	stock - titanium
		-	3.	05	-	2.7
noise	stock		AKRAPOVIC			
measurements (dB / rpm)	92 / 5000		98.5 / 5000 ; 92 / 5000			
possibility of periodic service without removing A.E.S.	oil		oil filter			
	YES		YES			
legal for street use	NO/YES					

Technical specifications of Akrapovic exhaust systems and related products subject to change without notice.



















Product code: (107952) S-D10SO3-ZC, (107951) S-D10SO3-ZT (108115) S-D10SO3C-HZT street legal







Product code: (107952) S-D10SO3-ZC, (107951) S-D10SO3-ZT (108115) S-D10SO3C-HZT street legal

www.akrapovic.net Akrapovič d.d. 2008 all rights reserved